AM. J. DRUG ALCOHOL ABUSE, 20(4), pp. 563–569 (1994)

INDEX TO VOLUME 20

A

Abuse, physical and sexual, among women inpatients, history of and alcohol problems in, 261-270
ACoAs. *See* Adult children of alcoholics (ACoAs)
Adams, E. H., 197-220
Adolescents
  developmental factors promoting drug abuse in, 459-481
  incarcerated, correlates crack cocaine use among, 413-429
  predictors of drinking and driving in, 221-233
  See also Children; High school students
Adrian, M., 529-545
Adult children of alcoholics (ACoAs)
  determination of control profile of using SCI, 245-260
  predictors of choice of spouse among, 235-243
Alcohol
  characteristics of bulimic women with and without abuse of, 271-281
  and criminality, structural analysis of use of, 373-393
  history of physical and sexual abuse and problems with among women inpatients, 261-270
Alcoholics
  choice of spouse among children of, 235-243
  veterans, drug use among, 483-493
Alcoholism, community treatment as replacement for hospitals for, 529-545
Alcohol withdrawal
  seizures due to, prediction model for, 75-86
  syndrome, diazepam compared to propranolol in management of, 115-124
  See also Withdrawal symptoms
Anthenelli, R., 221-233

B

Bacon, N. M. K., 221-233
Badger, G. J., 47-56
Bamberger, E., 57-74
Bell, D. C., 331-340
Bernacki, E. J., 35-46
Bickel, W. K., 47-56
Black, G. S., 197-220
Books received, 127, 283, 395-396, 561
Briggs, N. C. (letter to editor), 125
Brown, B. S., 157-169
Budney, A. J., 47-56
Bulik, C. M., 271-281
Bulimic women, with and without alcohol abuse, characteristics of, 271-281
Buprenorphine maintenance, reduction of withdrawal symptoms by cocaine abuse during, 445-458

C

Cabanilla, B. R., 35-46
Carballo-Diéguez, A., 317-329
Catalano, R. R., 1-17
Caudill, B. D., 341-354
Children
  of opiate addicts in methadone maintenance, life experiences of, 157-169
  See also Adolescents; Adult children of alcoholics (ACoAs)
Clark, H. W., 431-443
CMRS scales, use of as predictor of retention in community treatment, 495-515
Cocaine
  comparison of twelve-step and cognitive-behavioral relapse prevention in outpatient treatment for abuse of, 1-17
  crack
    correlates of use of among inner-city incarcerated adolescents, 413-429
    male veterans dependent on, treatment recruitment strategies for, 431-443
    parental history of substance abuse as risk factor for use of, 341-354
  participation of significant others in outpatient treatment as predictor of abstinence from, 47-56
  reduction of withdrawal symptoms by, during methadone and buprenorphine maintenance, 445-458
Community treatment
  for alcoholism, as replacement for hospitals, 529-545
  use of CMRS scale as predictor of retention in, 495-515
Como-Lesko, N., 301-315
Control profile, of ACoAs, determination of using SCI, 245-260
Counseling, individual and group, role of node-link mapping in, 517-527
Crane, D. F., 75-86
Criminality
  structural analysis of substance use and, 373-393
  See also Illegal activities

D

Dansereau, D. F., 517-527
Day, N. L., 87-100
Defense mechanisms, use of marijuana among high school students in relation to, 301-315
De Leon, G., 495-515
Developmental factors, promoting drug abuse in adolescents, 459-481
Diazepam, compared to propranolol in management of alcohol withdrawal syndrome, 115-124
Discharges, irregular, from dual diagnosis units, 355-371
DLSI. *See* Drug Lifestyle Screening Interview (DLSI)
Drinking and driving, predictors of in young men, 221-233
Drinking patterns, of licit and illicit drug users in Greece, 547-559
Driving and drinking, predictors of in young men, 221-233
Drug abuse, in adolescents, developmental factors promoting, 459-481
Drug Lifestyle Screening Interview (DLSI), discriminating between high and low volume substance abusers by, 19-33
Drug screening, preemployment, at Johns Hopkins Hospital, 35-46
Drug treatment programs, residential and outpatient, retention in, 331-340

Drug use
among alcoholic veterans, 483-493
and criminality, structural analysis of, 373-393
determination of volume of using DLSI, 19-33
Drug users
HIV positive and negative, effect of methadone on immunological parameters among, 317-329
licit and illicit, in Greece, drinking patterns of, 547-559
Dual diagnosis
inner city psychiatric, HIV seroprevalence in patients with, 101-113
irregular discharges from units for, 355-371
risk factors for, 397-412

E

El Sadr, W., 317-329

F

Ferguson, B. S., 529-545
Flaherty, D. G., 87-100
Flynn, P. M., 341-354
Frankenfield, D. L., 35-46
Freeman, R. C., 127-155
French, J. F., 127-155
Frye, L. H., 75-86

G

Gainey, R. R., 1-17
Gefou-Madianou, D., 547-559
Goetz, R., 317-329
Gorman, J., 317-329
Green, P. J., 197-220
Greenberg, W. M., 355-371
Group counseling, role of node-link mapping in, 517-527
Gruenewald, P. J., 57-74

H

Haertzen, C. A., 157-169
Hall, S. M., 431-443
Halpert, M., 261-270
Harmfulness ratings, use of marijuana among high school students in relation to, 301-315
Hawkins, J. D., 1-17
Higgins, S. T., 47-56
High school students
use of marijuana among in relation to harmfulness ratings perceive negative consequences and defense mechanisms in, 301-315
See also Adolescents; Children
HIV. *See* Human immunodeficiency virus (HIV)
Hoffman, J. A., 341-354
Hospitals, community treatment as replacement of for alcoholism, 529-545
Hubbard, R. L., 341-354
Human immunodeficiency virus (HIV)
drug users positive and negative for, effect of methadone on immunological parameters among, 317-329
intravenous drug users' risk behaviors for, comparison of male and female, 127-155
seroprevalence for, in inner-city dually diagnosed psychiatric inpatients, 101-113

I

Illegal activities
parental history of substance abuse

[Illegal activities *continued*]
as predictor for, 341-354
See also Criminality
Immunological parameters, among HIV-positive and -negative drug users, effect of methadone on, 317-329
Incarcerated adolescents, correlates crack cocaine use among, 413-429
Intravenous drug users, male and female, comparison of risk behaviors for HIV infection by, 127-155

J

Jainchill, N., 495-515
Jefferson, J. W. (letter to editor), 125
Joe, G. W., 171-195, 517-527
Johnson, J. L., 287-299
Jull, P., 529-545

K

Kang, S.-Y., 413-429
Kaufman, E., 245-260
Kaye, W. H., 271-281
Kelner, E., 235-243
Kiltzner, M., 57-74
Klein, J. L., 221-233
Knight, D. K., 517-527
Kolar, A. F., 157-169
Kosten, T. R., 445-458
Krasinski, K., 101-113
Kressel, D., 495-515

L

Laird, L. K., 75-86
Lange, W. R., 35-46
Lawton, K. B., 197-220
Life experiences, of children of opiate addicts in methadone maintenance, 157-169
Lifshutz, H., 101-113
Longitudinal studies, retention of resistant subjects in, 87-100
Luckey, J. W., 341-354

M

McDuff, D. R., 287-299
McKee, M., 271-281
McKenna, C., 397-412
Madianos, M. G., 547-559
Magura, S., 413-429
Marijuana, use of among high school students in relation to harmfulness rating perceived negative consequences and defense mechanisms, 301-315
Marmor, M., 101-113
Melnick, G., 495-515
Men, veterans, dependent on crack cocaine, treatment recruitment strategies for, 431-443
Methadone, effect of on immunological parameters among HIV-positive and -negative drug users, 317-329
Methadone maintenance
life experiences of children of opiate addicts in, 157-169
reduction of withdrawal symptoms by cocaine abuse during, 445-458
treatment process and relapse to opioid use during, 171-195
Michaelson, B. S., 157-169
Moler, G., 35-46
Monoamine oxidase inhibitors (letter to editor), 125
Morton, W. A., 75-86

N

Negative consequences, perceived, use of marijuana among high school students in relation to, 301-315
Nelson, R., 331-340
Node-link mapping, role of in individual and group counseling, 517-527

O

Ogborne, A. C., 529-545
Opiate addicts, in methadone maintenance, life experiences of children of, 157-169
Opioid use, treatment process and relapse to during methadone maintenance, 171-195
Otero, J., 355-371
Outpatient treatment
  for cocaine abuse, comparison of cognitive-behavioral relapse prevention with twelve-step program in, 1-17
  for drugs, retention in, 331-340
  participation of significant others in as predictor of cocaine abstinence, 47-56

P

Parental history of substance abuse
  as predictor for crack use, illegal activities, and psychiatric status, 341-354
  See also Adult Children of Adolescents (ACoAs); Children
Partari, N., 75-86
Partnership Attitude Tracking Study (PATS), analysis of, 197-220
Partnership for a Drug-Free America
  See Partnership Attitude Tracking Study (PATS)
PATS. *See* Partnership Attitude Tracking Study (PATS)
Peterson, P. L., 1-17
Physical abuse, among women inpatients, history of and alcohol problems in, 261-270
Piotrowski, N. A., 431-443
Prediction model, for alcohol withdrawal seizures, 75-86
Predictors
  of abstinence from cocaine, participation of significant others in outpatient treatment as, 47-56
  of crack use, illegal activities, and psychiatric status, parental history of substance abuse as, 341-354
  of drinking and driving in young men, 221-233
  of retention in community treatment, use of CMRS scale as, 495-515
Preemployment drug screening, at Johns Hopkins Hospital, 35-46
Prevention programs, S.A.D.D., evaluation of, 57-74
Primavera, L. H., 301-315
Propranolol, compared to diazepam in management of alcohol withdrawal syndrome, 115-124
Psychiatric consultation, with substance abusers in early recovery, 287-299
Psychiatric inpatients, inner city dually diagnosed, HIV seroprevalence in, 101-113
Psychiatric status, parental history of substance abuse as predictor for, 341-354

R

RachBeisel, J., 287-299
Rankin, J. G., 529-545

Recovery, early, psychiatric consultation with substance abusers in, 287-299
Recruitment strategies, treatment, for crack cocaine dependent male veterans, 431-443
Relapse
  cognitive-behavioral prevention of, comparison of with twelve-step program in outpatient treatment for cocaine abuse, 1-17
  to opioid use during methadone maintenance, treatment process and, 171-195
Residential drug treatment programs, retention in, 331-340
Retention
  in community treatment, use of CMRS scale for prediction of, 495-515
  in residential and outpatient drug treatment programs, 331-340
Risk behaviors, for HIV infection, comparison of by male and female intravenous drug users, 127-155
Risk factors, for dual diagnosis, 397-412
Robles, N., 87-100
Rodriguez, G. M., 127-155
Ross, C., 397-412
Rossiter, C., 57-74

S

S.A.D.D. *See* Students Against Driving Drunk (S.A.D.D.)
Sahs, J., 317-329
Sampling. *See* Partnership Attitude Tracking Study (PATS)
Schuckit, M. A., 235-243, 483-493
SCI. *See* Shapiro Control Inventory (SCI)
Screening interview, drug lifestyle, discrimination between high and low volume of drug use by, 19-33
Seizures, alcohol withdrawal, prediction model for, 75-86
Sells, S. B., 171-195
Sexual abuse, among women inpatients, history of and alcohol problems in, 261-270
Shapiro, D. H., Jr., 245-260
Shapiro, E., 483-493
Shapiro, J. L., 413-429
Shapiro Control Inventory (SCI), determination of control profile for ACoAs using, 245-260
Significant others, participation of in outpatient treatment as predictor of cocaine abstinence, 47-56
Silberstein, C., 101-113
Simpson, D. D., 171-195, 517-527
Smith, T. L., 221-233, 483-493
Solounias, B. L., 287-299
Sorell, S., 317-329
Spence, R. T., 331-340
Spouse, choice of in ACoAs, 235-243
Stefanis, C. N., 547-559
Stine, S. M., 445-458
Structural analysis, of substance use and criminality, 373-393
Students Against Driving Drunk (S.A.D.D.), evaluation of, 57-74
Subjects, resistant, in longitudinal studies, retention of, 87-100
Substance abusers, in early recovery, psychiatric consultation with, 287-299
Sullivan, P. F., 271-281
Swett, C., 261-270
Szeszko, P. R., 301-315

T

Tipp, J. E., 235-243
Trad, P. V., 459-481
Treatment process, and relapse to opioid use during methadone maintenance, 171-195

Tsuang, J. W., 483-493
Twelve-step program, comparison of with cognitive-behavioral relapse prevention in outpatient treatment for cocaine abuse, 1-17

V

Veterans
  alcoholic, drug use among, 483-493
  male, dependent on crack cocaine, treatment recruitment strategies for, 431-443
Villanueva, L., 355-371
Visual representation. *See* Node-link mapping
Volume of drug use, determination of using DLSI, 19-33

W

Walters, G. D., 19-33
Weatherford, V., 245-260
Wells, P. L., 1-17
Weltzin, T. E., 271-281
Williams, M. L., 331-340
Williford, W. R., 373-393
Withdrawal symptoms
  during methadone and buprenorphine maintenance, reduction of by cocaine abuse, 445-458
  See also Alcohol withdrawal
Women
  bulimic, with and without alcohol abuse, characteristics of, 271-281
  inpatient, history of physical and sexual abuse and alcohol problems among, 261-270
Worner, T. M., 115-124

Y

Yu, J., 373-393

Z

Zastowny, T. R., 197-220